norma
SMOKELESS
POWDER
DANGER
SMOKELESS GUNPOWDER
EXTREMELY FLAMMABLE
KEEP AWAY FROM HEAT OR OPEN FLAME
WARNING KEEP OUT OF THE REACH OF CHILDREN
NORMA PROJEKTILFABRIK
AMOTFORS - SWEDEN
203
8 x 57 JS
norma
WARNING - KEEP
OF THE REACH OF CHILD
20
norma
WARNING - KEEP OU
OF THE REACH OF CHILDREN
20
7 mm Rem. Magnum
308 Norma Magnum
7x57
Super 7x61
270 Win.
8x57 JS
358 Norma Magnum
30—06
30—30 Win.
243 Win.
222 Rem.
8x57 J
9,3x62
308 Win.
44 Magnum
38 Special
357 Magnum
32 ACP
norma
INDEX NO. 173
9 MM LUG
50
norma
100 PRECISION
BULL

TECHNICAL INFORMATION 1972

norma

AMMUNITION AND COMPONENTS

...ERFIRE RIFLE CARTRIDGES BRASS CASES

Bullet weight grains	Bullet weight grams	Bullet no.	Case no.	Velocity — Feet per sec. Muzzle	100 yds	200 yds	300 yds
50	3.2	65701 (607)	25701 (751)	4110	3611	3133	2681
50	3.2	65701 (607)	25711 (752)	3200	2650	2170	1750
50	3.2	65702 (608)	25711 (752)	3200	2610	2080	1630
55	3.6	65721 (609)	25721 (817)	3300	2900	2520	2160
50	3.2	65701 (607)	25731 (810)	3800	3300	2810	2350
55	3.6	65721 (609)	25731 (810)	3650	3200	2780	2400
80	5.2	66001 (699)	26001 (753)	3500	3080	2720	2410
100	6.5	66003 (566)	26001 (753)	3070	2790	2540	2320
100	6.5	66003 (566)	26011 (828)	3190	2920	2660	2420
87	5.6	66301 (505)	26301 (755)	3030	2660	2330	2060
100	6.5	66302 (506)	26301 (755)	2820	2514	2223	1956
77	5.0	66551 (510)	26551 (759)	2725	2362	2030	1811
77	5.0	66551 (510)	26551 (759)	3116	2730	2370	2040
139	9.0	66531 (618)	26551 (759)	2788	2630	2470	2320
156	10.1	66532 (509)	26551 (759)	2493	2271	2062	1867

gilding metal or nickel alloy on both sides preventing corrosion and barrel wear.

norma

CENTERFIRE RIFLE CARTRIDGES AND BRASS CASES

			Bullet weight		Bullet	Case	Velocity — Feet per sec.			
			grains	grams	no.	no.	Muzzle	100 yds	200 yds	300 yds
220 SWIFT										
 15701 (1)										
15701	(1)	Soft point semi pointed	50	3.2	65701 (607)	25701 (751)	4110	3611	3133	2681
222 REM.										
 15711 (3)										
15711	(3)	Soft point semi pointed	50	3.2	65701 (607)	25711 (752)	3200	2650	2170	1750
15712	(4)	Full jacket semi pointed	50	3.2	65702 (608)	25711 (752)	3200	2610	2080	1630
223										
 15721 (234)										
15721	(234)	Soft point semi pointed	55	3.6	65721 (609)	25721 (817)	3300	2900	2520	2160
22-250										
 15732 (231)										
15731	(230)	Soft point semi pointed	50	3.2	65701 (607)	25731 (810)	3800	3300	2810	2350
15732	(231)	Soft point semi pointed	55	3.6	65721 (609)	25731 (810)	3650	3200	2780	2400
243 WIN.										
 16003 (151)										
16001	(266)	Soft point semi pointed	80	5.2	66001 (699)	26001 (753)	3500	3080	2720	2410
16003	(151)	Soft point semi pointed Ⓣ	100	6.5	66003 (566)	26001 (753)	3070	2790	2540	2320
6 MM REM.										
 16011 (228)										
16011	(228)	Soft point semi pointed Ⓣ	100	6.5	66003 (566)	26011 (828)	3190	2920	2660	2420
250 SAVAGE										
 16302 (10)										
16301	(9)	Soft point semi pointed Ⓣ	87	5.6	66301 (505)	26301 (755)	3030	2660	2330	2060
16302	(10)	Soft point semi pointed Ⓣ	100	6.5	66302 (506)	26301 (755)	2820	2514	2223	1956
6.5×55										
 16551 (20)										
16550	(18)	Soft point semi pointed	77	5.0	66551 (510)	26551 (759)	2725	2362	2030	1811
16553	(105*)	Soft point semi pointed Ⓣ	77	5.0	66551 (510)	26551 (759)	3116	2730	2370	2040
16551	(20)	Soft point semi pointed boattail	139	9.0	66531 (618)	26551 (759)	2788	2630	2470	2320
16552	(22)	Soft point round nose Ⓣ	156	10.1	66532 (509)	26551 (759)	2493	2271	2062	1867

Ⓣ = Norma TRI-CLAD® bullet, a soft steel jacket covered with gilding metal or nickel alloy on both sides preventing corrosion and barrel wear.
* = Sold until stock exhausted.

6.5 CARCANO



			Bullet weight grains	Bullet weight grams	Bullet no.	Case no.	Velocity — Feet per sec. Muzzle	100 yds	200 yds	300 yds
16535	(233)	Soft point round nose Ⓣ	156	10.1	66532 (509)	26535 (829)	2000	1810	1640	1485

6.5 JAP.



16531	(13)	Soft point semi pointed boattail	139	9.0	66531 (618)	26531 (757)	2428	2280	2130	1990
16532	(14)	Soft point round nose Ⓣ	156	10.1	66532 (509)	26531 (757)	2067	1871	1692	1529

6.5×54 MS



16545	(16)	Soft point semi pointed boattail	139	9.0	66531 (618)	26545 (758)	2575	2420	2270	2120
16546	(17)	Soft point round nose Ⓣ	156	10.1	66532 (509)	26545 (758)	2461	2240	2033	1840

270 WIN.



16901	(24)	Soft point semi pointed	110	7.1	66901 (621)	26901 (760)	3250	2966	2694	2435
16902	(25)	Soft point semi pointed boattail Ⓣ	130	8.4	66902 (515)	26901 (760)	3140	2884	2639	2404
16903	(28)	Soft point semi pointed boattail Ⓣ	150	9.7	66903 (518)	26901 (760)	2800	2616	2436	2262

7×57



17001	(29)	Soft point semi pointed	110	7.1	67001 (624)	27001 (761)	3067	2792	2528	2277
17002	(30)	Soft point semi pointed boattail Ⓣ	150	9.7	67002 (520)	27001 (761)	2756	2539	2331	2133
17003	(31*)	Full jacket pointed boattail Ⓣ	150	9.7	67003 (521)	27001 (761)	2756	2539	2331	2133
17004	(32)	Soft point round nose Ⓣ	175	11.3	67004 (522)	27001 (761)	2490	2170	1900	1680

SUPER 7×61



17011	(257)	Soft point semi pointed boattail Ⓣ	160	10.4	67011 (523)	27011 (847)	3150[1]	2973	2801	2634

[1]) 26 inch barrel

7 MM REM. MAGNUM



17021	(240)	Soft point semi pointed boattail Ⓣ	150	9.7	67002 (520)	27021 (826)	3260[1]	2970	2700	2450
17022	(241)	Soft point round nose Ⓣ	175	11.3	67004 (522)	27021 (826)	3020[1]	2720	2400	2120

[1]) 26 inch barrel

30 US CARBINE



17621	(35)	Soft point round nose Ⓣ	110	7.1	67621 (524)	27620 (763)	1970[2]	1595	1300	1090

Ⓣ=Norma TRI-CLAD® bullet, a soft steel jacket covered with gilding metal or nickel alloy on both sides preventing corrosion and barrel wear. *=Sold until stock exhausted.

[2]) 18 inch barrel

norma

CENTERFIRE RIFLE CARTRIDGES AND BRASS CASES

7.5 × 55 SWISS



			Bullet weight grains	Bullet weight grams	Bullet no.	Case no.	Velocity — Feet per sec. Muzzle	100 yds	200 yds	300 yds
17511		Soft point semi pointed boattail Ⓣ	180	11.6	67625 (528)	27511 (854)	2650	2441	2248	2056

30-30 WIN.



17630	(193)	Soft point flat nose	150	9.7	67630 (631)	27630 (764)	2410	2075	1790	1550
17631	(37)	Soft point flat nose	170	11.0	67631 (633)	27630 (764)	2220	1890	1630	1410

308 NORMA MAGNUM



17637	(179)	Soft point "Dual-Core" Ⓣ	180	11.6	67626 (578)	27637 (811)	3100	2881	2668	2464

308 WIN.



17623	(143)	Soft point semi pointed boattail Ⓣ	130	8.4	67623 (529)	27623 (765)	2900	2590	2300	2030
17624	(38)	Soft point semi pointed boattail	150	9.7	67624 (630)	27623 (765)	2860	2570	2300	2050
17625	(39)	Soft point semi pointed boattail Ⓣ	180	11.6	67625 (528)	27623 (765)	2610	2400	2210	2020
17626	(236)	Soft point "Dual-Core" Ⓣ	180	11.6	67626 (578)	27623 (765)	2610	2400	2210	2020

7.62 RUSSIAN



17634	(214)	Soft point semi pointed boattail Ⓣ	180	11.6	67625 (528)	27634 (819)	2624	2415	2222	2030

30-06



17640	(40)	Soft point semi pointed boattail Ⓣ	130	8.4	67623 (529)	27640 (766)	3280	2951	2636	2338
17642	(42)	Full jacket pointed boattail Ⓣ	130	8.4	67642 (530)	27640 (766)	3280	2951	2636	2338
17643	(43)	Soft point semi pointed boattail	150	9.7	67624 (630)	27640 (766)	2970	2680	2402	2141
17645	(45)	Soft point semi pointed boattail Ⓣ	180	11.6	67625 (528)	27640 (766)	2700	2494	2296	2109
17647	(235)	Soft point "Dual-Core" Ⓣ	180	11.6	67626 (578)	27640 (766)	2700	2494	2296	2109
17650	(48)	Soft point round nose Ⓣ	220	14.2	67650 (534)	27640 (766)	2410	2197	1996	1809

7.65 ARG.



17701	(187)	Soft point semi pointed Ⓣ	150	9.7	67701 (564)	27701 (815)	2920	2630	2355	2105

Ⓣ = Norma TRI-CLAD® bullet, a soft steel jacket covered with gilding metal or nickel alloy on both sides preventing corrosion and barrel wear.

norma

CENTERFIRE RIFLE CARTRIDGES AND BRASS CASES

303 BRITISH



			Bullet weight grains	grams	Bullet no.	Case no.	Velocity — Feet per sec. Muzzle	100 yds	200 yds	300 yds
17711	(55)	Soft point semi pointed Ⓣ	130	8.4	67711 (536)	27711 (768)	2790	2483	2195	1929
17712	(147)	Soft point semi pointed Ⓣ	150	9.7	67701 (564)	27711 (768)	2720	2440	2170	1930
17713	(56)	Soft point semi pointed boattail Ⓣ	180	11.6	67713 (537)	27711 (768)	2540	2340	2147	1965

7.7 JAP.



17721	(110)	Soft point semi pointed Ⓣ	130	8.4	67711 (536)	27721 (769)	2952	2635	2340	2065
17722	(58)	Soft point semi pointed boattail Ⓣ	180	11.6	67713 (537)	27721 (769)	2493	2292	2101	1922

8×57 JS



18001	(63)	Soft point semi pointed	123	8.0	68001 (637)	28001 (772)	2888	2515	2170	1857
18002	(267)	Soft point semi pointed boattail Ⓣ	165	10.7	68002 (648)	28001 (772)	2855	2563	2285	2028
18003	(65)	Soft point round nose Ⓣ	196	12.7	68003 (540)	28001 (772)	2526	2195	1894	1627

8×57 J



17901	(60)	Soft point round nose Ⓣ	196	12.7	67901 (539)	27901 (786)	2526	2195	1894	1627

358 NORMA MAGNUM



19001	(152)	Soft point semi pointed Ⓣ	250	16.2	69001 (548)	29001 (796)	2800	2493	2231	2001

358 WIN.



19005	(72*)	Soft point semi pointed Ⓣ	250	16.2	69001 (548)	29005 (774)	2250	2010	1780	1570

9.3×57



19301	(074)	Soft point round nose Ⓣ	286	18.5	69301 (550)	29301 (775)	2067	1818	1595	1404

9.3×62



19311	(0158)	Soft point "Dual-Core" Ⓣ	232	15.0	69311 (571)	29311 (776)	2624	2304	2009	1742
19313	(75*)	Hollow point boattail Ⓣ	232	15.0	69321 (549)	29311 (776)	2624	2304	2009	1742
19312	(077)	Soft point round nose Ⓣ	286	18.5	69301 (550)	29311 (776)	2362	2088	1873	1612

Ⓣ=Norma TRI-CLAD® bullet, a soft steel jacket covered with gilding metal or nickel alloy on both sides preventing corrosion and barrel wear.
*=Sold until stock exhausted.

norma

CENTERFIRE PISTOL- & REVOLVER CARTRIDGES AND CASES

25 ACP FULL JACKET[1])



Cartr. 16401 (252) - 50 grains (3.2 grams)
Bullet 766401 (680)
MV 810 F/S - ME 100 FP - Barr. length 2.0



30 LUGER FULL JACKET Ⓣ



Cartr. 17612 (88) - 93 grains (6.0 grams)
Bullet 67612 (556)
MV 1230 F/S - ME 312 FP - Barr. length 4.7



32 ACP FULL JACKET Ⓣ



Cartr. 17614 (86) - 77 grains (5.0 grams)
Bullet 67610 (555)
MV 900 F/S - ME 139 FP - Barr. length 4.0



32 S&W LEAD



Cartr. 17801 (265) - 85 graihs (5.5 grams)
Bullet 67801 (698) - Case 27801 (851)
MV 680 F/S - ME 87 FP - Barr. length 3.0

9 MM LUGER HOLLOW POINT Ⓣ



Cartr. 19021 (173) - 115 grains (7.4 grams)
Bullet 69021 (696)
MV 1165 F/S - ME 350 FP - Barr. length 4.7



9 MM LUGER FULL JACKET Ⓣ



Cartr. 19022 (91) - 116 grains (7.5 grams)
Bullet 69010 (557)
MV 1165 F/S - ME 350 FP - Barr. length 4.7

9 MM LUGER SOFT POINT Ⓣ



Cartr. 19024 - 116 grains (7.5 grams)
Bullet 69024 (642)
MV 1165 F/S - ME 350 FP - Barr. length 4.7

357 MAGNUM SOFT POINT



Cartr. 19107 - 158 grains (10.2 grams)
Bullet 69107
MV 1520 F/S - ME 811 FP - Barr. length 8 3/8



38 SPECIAL HOLLOW POINT Ⓣ



Cartr. 19123 (274) - 110 grains (7.1 grams)
Bullet 69123 (650)
MV 1542 F/S - ME 580 FP - Barr. length 6.0



44 MAGNUM HOLLOW POINT Ⓣ



Cartr. 11101 (166) - 236 grains (15.3 grams)
Bullet 61101 (690)
MV 1675 F/S - ME 1476 FP - Barr. length 18.5



44 MAGNUM HOLLOW POINT[2]) Ⓣ



Cartr. 11102 (168) - 236 grains (15.3 grams)
Bullet 61101 (690)
MV 1705 F/S - ME 1526 FP - Barr. length 18.5



45 ACP HOLLOW POINT Ⓣ



Cartr. 11122 (264) - 230 grains (14.9 grams)
Bullet 61122 (692)
MV 850 F/S - ME 370 FP - Barr. length 5.0

The extraordinary demand for Norma handgun ammunition has forced us to concentrate production to the types shown above for the remaining part of 1972. We hope increased production facilities will help us bringing back further popular types of our handgun ammunition and components for the 1973 season.

Abbreviations: MV=Muzzle velocity. F/S=Feet per second. ME=Muzzle energy. FP=Foot pounds.

1) =Available from Aug. 1972

2) =Special carbine load, case cannelured for identification.

Ⓣ =Norma TRI-CLAD® bullet, a soft steel jacket covered with gilding metal or nickel alloy on both sides preventing corrosion and barrel wear.

norma

POWDERS AND PRIMERS

RIFLE POWDERS



Canisters of 400 grams net.

NORMA 200 (No. 93200)

A fast-burning powder, for small capacity cartridge cases such as the 222, but also most excellent for use with light bullets and/or light loads in larger calibers.

NORMA 201 (No. 93201)

Slower than the 200, used with the lighter bullets in medium-size cases, or with some big-caliber cartridges where there is a large bore volume to be filled up quickly by the expanding gases.

NORMA 203 (No. 93203)

The 203 is adjusted to fit the medium-sized cartridge type such as the 30-06, 303 British, European 7 and 8 MM's etc. unless light bullets necessitate a faster powder.

NORMA 204 (No. 93204)

A slow-burning powder, especially adapted for cartridges with a large case capacity and/or using heavy bullets in relation to the caliber.

NORMA 205 (No. 93205)

An exceptionally slow-burning, high-energy powder for highest velocity with large capacity cases. A must for Magnums.



HANDGUN POWDERS

THE NORMA 1010 (No. 91010)

is a fast burning, easily ignited powder for revolver and pistol ammunition. It is produced from a double base composition and consequently it is virtually non-hygroscopic. As a result velocities and pressures show little change if the powder is exposed to very dry or damp conditions. The granules are of such a shape that they flow very freely in the powder measure thereby ensuring higher load to load uniformity. Canisters of 9 oz. (255 grams).

THE NORMA 1020 (No. 91020)

is a slower burning powder especially designed for high velocity loads at economical charge weights in Magnum handgun calibers. Like Norma 1010 it is produced from a double base composition and thus is virtually non-hygroscopic. The small tubular granules have excellent flow properties and the powder is eminently suitable for use in powder measures. Canisters of 13 oz. (369 grams).

SHOTGUN POWDERS



THE NORMA 2010 (No. 92010)

has been designed for light and standard shotshell loads and is especially suited for skeet and trap cartridges. It is a double base powder and is virtually nonhygroscopic. In addition it contains ingredients which reduce the gas temperature and consequently the barrel temperature and it is thus particularly easy on both the shell and the gun. The special method of manufacture employed gives granules with excellent flow properties, the thickness being such that they will not bind in the powder measure. Canisters of 8 oz. (227 grams).

THE NORMA 2020 (No. 92020)

is a slower burning powder specially designed for Magnum and hunting loads with a heavier shot charge. It is similar in composition and granule form to Norma 2010 and possesses all the excellent properties of the latter powder. Both powders are suitable for use in all climatic conditions. Canisters of 10 oz. (824 grams).



PRIMERS

The Norma primer program consists of four types that cover the entire range of rifle and handgun ammunition, eliminating the necessity of a special magnum primer. Norma primers incorporate in every detail the most advanced metallurgical and chemical developments. They are non-corrosive and contain no mercury or abrasive ingredients that increase barrel wear.

SMALL PISTOL (SP) No. 84410
175″ diameter, for revolver and automatic pistol cartridges.

SMALL RIFLE (SR) No. 84420
175″ diameter, for small caliber rifle cartridges, such as 222, 30 US Carbine and others.

LARGE PISTOL (LP) No. 85310
210″ diameter, for large caliber revolver and automatic cartridges.

LARGE RIFLE (LR) No. 85320
210″ diameter, for rifle cartridges including magnums.

norma

CENTERFIRE TARGET, HUNTING, PISTOL- & REVOLVER BULLETS

22 CAL. (.224)



65701 — 50 grains



65702 — 50 grains

65721 — 55 grains

6 MM (.243)

66001 — 80 grains



66003 — 100 grains Ⓣ

25 CAL. (.257)



66301 — 87 grains Ⓣ



66302 — 100 grains Ⓣ

6.5 MM (.264)



66551 — 77 grains



66531 — 139 grains

66513 — 139 grains Ⓣ

6.5 MM (.264)



66510 — 144 grains Ⓣ

66532 — 156 grains Ⓣ

270 CAL. (.277)

66902 — 130 grains Ⓣ



66903 — 150 grains Ⓣ

7 MM (.283)



67001 — 110 grains

67002 — 150 grains Ⓣ



67003 — 150 grains Ⓣ

67011 — 160 grains Ⓣ

30 CAL. (.308)

67621 — 110 grains Ⓣ

67623 — 130 grains Ⓣ

30 CAL. (.308)

67642 — 130 grains Ⓣ

67602 — 146 grains Ⓣ



67630 — 150 grains

67624 — 150 grains



67631 — 170 grains



67625 — 180 grains

DUAL-CORE*

67646 — 180 grains Ⓣ

DUAL-CORE*

67626 — 180 grains Ⓣ

67650 — 220 grains Ⓣ

303 CAL. (.311)



67711 — 130 grains Ⓣ

67701 — 150 grains Ⓣ



67713 — 180 grains Ⓣ



67715 — 215 grains Ⓣ*

8 MM (.318)

67902 — 159 grains Ⓣ*

67904 — 159 grains Ⓣ*

67901 — 196 grains Ⓣ

8 MM S (.323)

68001 — 123 grains

68010 — 154 grains

8 MM S (.323)



68002 — 165 grains Ⓣ

68003 — 196 grains Ⓣ

DUAL-CORE*

68004 — 196 grains Ⓣ

35 CAL. (.358)

69006 — 200 grains Ⓣ

9.3 MM (.365)



69321 — 232 grains Ⓣ

DUAL-CORE*

69311 — 232 grains Ⓣ

*=Sold until stock exhausted.
Ⓣ=Norma TRI-CLAD® bullet, a soft steel jacket covered with gilding metal or nickel alloy on both sides preventing corrosion and barrel wear.

30 CAL. (.308)

67612 — 93 grains Ⓣ

67613 — 93 grains Ⓣ

32 CAL. (.308)

67610 — 77 grains Ⓣ

32 CAL. (.314)

67811 — 98 grains

9 MM (.355)

69015 — 104 grains Ⓣ

69021 — 115 grains Ⓣ

9 MM (.355)

69024 — 116 grains Ⓣ

38 CAL. (.356)

69031 — 95 grains Ⓣ

38 CAL. (.357)

69123 — 110 grains

38 CAL. (.357)

69110 — 148 grains



69101 — 158 grains

38 CAL. (.359)

69131 — 146 grains

45 CAL. (.451)

61121 — 230 grains Ⓣ



61122 — 230 grains Ⓣ

AB NORMA PROJEKTILFABRIK · 670 40 ÅMOTFORS · SWEDEN

Printed in Sweden Distr. enl. SFS/509/61

Arvika Tryckeriaktiebolag